



CITY OF SNOHOMISH

116 UNION AVENUE · SNOHOMISH, WASHINGTON 98290 · (360) 568-3115 · WWW.SNOHOMISHWA.GOV

DETERMINATION OF NON-SIGNIFICANCE Hal Moe Pool Demolition

File #02-18

Date Issued: February 8, 2018

Proposal Name: Hal Moe Pool Demolition (City file no. 02-18-SEPA)

Proponent: City of Snohomish Planning and Development Services
116 Union Avenue
Snohomish, WA 98290
(360) 282-3173

Lead Agency: City of Snohomish

Description of Proposal: The project consists of the demolition of the Hal Moe Pool building at 403 Third Street, an abandoned indoor swimming pool facility of approximately 19,000 square feet, originally constructed in the 1960s. Material hauling and removal, including abatement of hazardous materials is proposed, in addition to capping of utilities, clearing, grubbing, tree removal, hydroseeding, and associated grading and erosion control. Sidewalks and other miscellaneous surfaces will be repaired and restored after the building is removed. The site will ultimately be used for public park land.

Threshold Determination: The lead agency for this proposal has determined that it does not have a probable significant adverse impact on the environment. The requirements for environmental analysis, protection, and mitigation measures have been adequately addressed in the development regulations and comprehensive plans adopted under chapter 36.70A RCW, and in other applicable local, state, or federal laws or rules, as provided by RCW 43.21C.240 and WAC 197-11-158. An environmental impact statement (EIS) is not required under RCW 43.21C.030(2)(c). This decision was made after review of a completed environmental checklist, applicable regulations, and other information on file with the City of Snohomish. This information is available for review at the Snohomish City Hall, 116 Union Avenue, Snohomish, WA 98290 between the hours of 9:00 a.m. and 5:00 p.m. Monday through Friday, excluding holidays.

Written comments may be submitted to the lead agency to the attention of Brooke Eidem, at the address below. Comments must be received by 5:00 p.m. on February 23, 2018.

SEPA Responsible Official: Glen Pickus, AICP

Position/Title: Planning Director **Phone:** (360) 282-3173 **E-mail:** pickus@snohomishwa.gov

Address: City of Snohomish, 116 Union Avenue, Snohomish, WA 98290

Signature: _____

Glen Pickus, Planning Director

APPEALS:

Unless withdrawn or revised pursuant to comments received within the comment period above, this Determination of Non-Significance shall be final on February 23, 2018. Appeals of this SEPA threshold determination must be filed in writing with the City Clerk for the City of Snohomish by 5:00 p.m. on **February 23, 2018**. Appeals must be made in accordance with the provisions of Chapter 14.75 SMC. A \$500 appeal fee must be filed with the appeal. Appeals must be in writing and received as original documents by the close of the appeal period. Fax, e-mail and similar forms of document transmission shall not be accepted and shall not be considered as meeting the filing requirements. Appeals must state the section of the SMC being appealed, the specific determination or mitigation being appealed and the form of relief requested.