



CITY OF SNOHOMISH

P.O. BOX 1589 | SNOHOMISH, WASHINGTON 98291 | (360) 568-3115 | WWW.SNOHOMISHWA.GOV

DETERMINATION OF NON-SIGNIFICANCE

File #SEPA19-0006

Date Issued: February 24, 2020

Proposal Name: City of Snohomish Comprehensive Water System Plan Update
(City file no. **SEPA19-0006**)

Proponent: City of Snohomish Public Works Department
116 Union Avenue
P.O. Box 1589
Snohomish, WA 98291
(360) 282-3174

Lead Agency: City of Snohomish

Description of Proposal: Non-project action to adopt the updated Comprehensive Water System Plan (WSP), prepared in accordance with WAC 246-290-100. The WSP is updated every ten years and proposes various improvements to the water system to plan for the projected growth of the City's water system customers.

The draft document is available at <https://www.snohomishwa.gov/DocumentCenter/View/6001>

Threshold Determination: The lead agency for this proposal has determined that it does not have a probable significant adverse impact on the environment. The requirements for environmental analysis, protection, and mitigation measures have been adequately addressed in the development regulations and comprehensive plans adopted under chapter 36.70A RCW, and in other applicable local, state, or federal laws or rules, as provided by RCW 43.21C.240 and WAC 197-11-158. An environmental impact statement (EIS) is not required under RCW 43.21C.030(2)(c). This decision was made after review of a completed environmental checklist, applicable regulations, and other information on file with the City of Snohomish. This information is available for review at the Snohomish City Hall, 116 Union Avenue, Snohomish, WA 98290 between the hours of 8:00 a.m. and 4:00 p.m. Monday through Thursday, excluding holidays.

Written comments may be submitted to the lead agency to the attention of Brooke Eidem, at the address below. Comments must be received by 4:00 p.m. on March 10, 2020.

SEPA Responsible Official: Glen Pickus, AICP

Position/Title: Planning Director **Phone:** (360) 282-3173 **E-mail:** pickus@snohomishwa.gov

Address: City of Snohomish, P.O. Box 1589, Snohomish, WA 98291

Signature:

Glen Pickus, Planning Director

APPEALS:

Unless withdrawn or revised pursuant to comments received within the comment period above, this Determination of Non-Significance shall be final on March 10, 2020. Appeals of this SEPA threshold determination must be filed in writing with the City Clerk for the City of Snohomish by 4:00 p.m. on March 10, 2020. Appeals must be made in accordance with the provisions of Chapter 14.20 SMC. A \$500 appeal fee must be filed with the appeal. Appeals must be in writing and received as original documents by the close of the appeal period. Fax, e-mail and similar forms of document transmission shall not be accepted and shall not be considered as meeting the filing requirements. Appeals must state the section of the SMC being appealed, the specific determination or mitigation being appealed and the form of relief requested.